

East Devon District Council
Blackdown House
Border Road
Heathpark Industrial Estate
Honiton
EX14 1EJ

4th October 2023

Dear sir/ma dam,

Re: Application for tree works – tree subject to a TPO
Site (Nearest address and grid reference): Nearest Address - 1 Long Pk, Cranbrook, Exeter EX5 7JE. X (Easting) 302240, Y (Northing) 095863
LPA TPO Ref: 06/0019/ TPO

Instruction:

I have been instructed by Peter Prior from Brookbanks to submit an application to East Devon District Council to complete the works bullet pointed below:

- G001 Common Ash – Fell
- G002 Elm – Fell
- G003 Common Ash – Fell
- T001 Oak – Remove partially attached dead branch on the northern side of the tree at approximately 3 meters above ground level
- T003 Goat Willow – Fell
- T005 Ash – Fell

The trees were highlighted as a concern in a recent report titled Long Park Adoption QTRA Report September 2022, the trees were inspected by George Trott. Within the attached report he has recommended the bullet pointed works above to be completed

Tree Details

Reference	Species	Management Recommendations	Work Priority
G001	Common Ash (<i>Fraxinus excelsior</i>) Elm (<i>Ulmus sp.</i>)	• Fell.	9
G002	Elm (<i>Ulmus sp.</i>)	• Fell	10
G003	Common Ash (<i>Fraxinus excelsior</i>)	• Fell.	2
T001	Pedunculate Oak (<i>Quercus robur</i>)	• Remove partially attached dead branch on the Northern side of the tree at approximately 3 meters above ground level.	2
T002	Pedunculate Oak (<i>Quercus robur</i>)	• Monitor health of tree in relation to ongoing effects from recent drought(s).	11
T003	Goat Willow (<i>Salix caprea</i>)	• Fell.	3
T004	Pedunculate Oak (<i>Quercus robur</i>)	• Monitor health of tree in relation to ongoing effects from recent drought(s).	11
T005	Common Ash (<i>Fraxinus excelsior</i>)	• Fell and plant replacement tree during next available planting season.	2

The following works are recommended and subsequently applied for:

- G001 Common Ash – Fell
- G002 Elm – Fell
- G003 Common Ash – Fell
- T001 Oak – Remove partially attached dead branch on the northern side of the tree at approximately 3 meters above ground level
- T003 Goat Willow – Fell
- T005 Ash – Fell

I have provided a copy of the recent tree report which includes images of all the trees, evidence and the location of the trees in question.

If you require any additional information, please do not hesitate in contacting me.

Yours sincerely



Chris Fry
For Tony Benger Landscaping

Appendix 1 – Tree location

